Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abrasives

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Absorption

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Adhesives

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Admixtures

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Aggregates

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Air entrainment

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Anchorages

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Anisotropy

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Ashes

Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Asphalt cement

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Asphalt mixes

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Asphalt pavements

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Asphaltic concrete

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Asphalts

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Beams

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Bearing capacity

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Binders, materials

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Bitumen

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Bond stress

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at *http://www.pubs.asce.org/cedbsrch.html*.

Abrasives

High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Absorption

New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Adhesives

Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Admixtures

Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Aggregates

Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Air entrainment

Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Anchorages

Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Anisotropy

Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Ashes

Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Asphalt cement

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Asphalt mixes

Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Asphalt pavements

Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Asphaltic concrete

History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Asphalts

Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Beams

Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Bearing capacity

Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Binders, materials

Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Bitumen

Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Bond stress

Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Bonding
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Bottom ash
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Bricks
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Brittle failure
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Brittleness
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Building frames
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Buildings
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

California
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

California bearing ratio
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Canada
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Carbonation
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Cements
Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).
Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Chlorides
Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Clays
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Coal
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Coating
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Columns
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Compaction
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Comparative studies
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Composite materials
Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Compressive strength
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Concrete
Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).
Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).
Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).
High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).
Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).
Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Concrete masonry
Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Concrete slabs
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Concrete structures
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Concrete tests
Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Concrete, reinforced
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Connections
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Connections, welded
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Construction materials
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Correlation
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Corrosion
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Coverings
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Crack propagation
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).

Cracking
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).
Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Cylinders
Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Damage
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Damping
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Deflection
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Deformation
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Degradation
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Delaminating
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Design
History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Deterioration
Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Distortion
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Dry density
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Ductility
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Durability
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Dust
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).
Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Dynamic loads
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Earth structures
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Earthquake damage
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Earthquake loads
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Epoxy resins
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Expansive soils
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Experimentation
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johannesson and Mårten Janz; 14(6), 471-7 (2002).

Failure
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Failure investigation
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Fatigue
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Fatigue tests
Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Fiber reinforced materials
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Fibers
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Finite elements
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Flexural strength
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Flow
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Fly ash
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).
High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. — Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Fracture
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Fracture mechanics
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Fracture strength
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Fractures
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Frames
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Grout
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

High strength concretes
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. — S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).
Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Highways
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

History
Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).
History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Imaging techniques
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Inspection
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Isotherms
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johannesson and Mårten Janz; 14(6), 471-7 (2002).

Joints
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Laboratory tests
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Laminates
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Lime
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).
Load resistance
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. — M. M. Kholmyansky; 14(4), 311-9 (2002).
Masonry
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).
Mechanical properties
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).
Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).
Metals
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).
Methodology
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johannesson and Mårten Janz; 14(6), 471-7 (2002).
Micromechanics
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).
Mixtures
Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).
Moisture content
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).
Neural networks
Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).
Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).
Nondestructive tests
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).
Parameters
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).
Penetration
Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).
Permeability
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).
Plastics
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).
Plates
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).
Polyethylene
Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).
Polymers
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).
Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. — Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).
Porosity
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).
Portland cements
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).
Predictions
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).
Recycling
Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).
Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).
Rehabilitation
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).
Repairing
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).
Repeated loads
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).
Resistance
High Volume Fly Ash Abrasion Resistant Concrete. — Cengiz Duran Atiş; 14(3), 274-7 (2002).
Restoration
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).
Rheology
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).
Risk
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).
Rocks
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).
Roll compacting
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).
Rubber
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Rubber modified asphalt
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Salinity
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Saturation
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Seismic effects
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Seismic hazards
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Shear strength
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Shear stress
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Shotcrete
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Shrinkage
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Simulation
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).
Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Size effect
Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Slabs
Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Slip
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Sludge
Concrete Aggregates Made from Sludge-Marine Clay Mixes. — Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Soils
Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Stabilization
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. — Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. — Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).

Static tests
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Steel
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Steel cables
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Steel frames
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Steel structures
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Stiffness
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Strain hardening
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Strain rate
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Strain softening
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Strength
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
Interpretation of Concrete Strength for Nonstandard Specimens. — M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Stress strain curves
Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Stripping
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Structural materials
Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).

Temperature effects
Carbonation of Concrete Exposed to Hot and Arid Climate. — Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Tendons
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Tensile strength
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).
Thermal resistance
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).
Toughness
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).
Triaxial tests
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).
Ultrasonic tests
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. — Robert E. Shaw, Jr.; 14(1), 62-7 (2002).
Unpaved roads
Laboratory Study of Dust Palliative Effectiveness. — Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).
Unsaturated soils
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).
Viscoelasticity
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Viscosity
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).
Method to Predict Temperature Susceptibility of an Asphalt Binder. — Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).
Voids
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).
Walls
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).
Water demand
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. — Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).
Welded joints
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).
Welds
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. — John M. Barsom; 14(1), 44-9 (2002).
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).
Supplemental Ultrasonic Code Inspection of Structural Weldments. — George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. — Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).
Application of Stress Diffusers to Beam-to-Column Connection. — S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).
Wood
Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).
Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).
Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).
X-ray analysis
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Author Index

Abdel Raof, Hussein
Shearing Behavior of Joints in Load-Bearing Masonry Wall. —Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Acierno, Domenico
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. —Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Aiello, Maria A.
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. —Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Airey, G. D.
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. —G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Al-Amoudi, Omar Saeed Baghabra
Characterization and Chemical Stabilization of Al-Qurayyah Sabkha Soil. —Omar Saeed Baghabra Al-Amoudi; 14(6), 478-84 (2002).
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Aldea, Corina-Maria
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Al-Gadhib, Ali H.
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Al-Harthy, Ali
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. —Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. —Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Al-Khaiat, Husain
Carbonation of Concrete Exposed to Hot and Arid Climate. —Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Al-Rawas, Amer
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. — Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Al-Shamsi, Khalid
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Al-Zubeidi, Muamer
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. — Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).

Ankenman, Bruce
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Arena, Phil
Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Arif, Mohammed
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Asi, Ibrahim Mohammed
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Atiş, Cengiz Duran
High Volume Fly Ash Abrasion Resistant Concrete. —Cengiz Duran Atiş; 14(3), 274-7 (2002).

Baluch, Mohammed H.
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Barsom, John M.
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. —John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).
Development of Fracture Toughness Requirements for Weld Metals in Seismic Applications. —John M. Barsom; 14(1), 44-9 (2002).

Basheer, I. A.
Stress-Strain Behavior of Geomaterials in Loading Reversal Simulated by Time-Delay Neural Networks. — I. A. Basheer; 14(3), 270-3 (2002).

Bažant, Zdeněk P.
Discussion of "Fracture Analysis of High Strength Concrete Members" by Rajandra K. Navalurkar and Cheng-Tzu Thomas Hsu. — Zdeněk P. Bažant; 14(5), 445-6 (2002).

Begimgil, Meral
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Belgin, Çağatay
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Benmokrane, Brahim
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Bentur, Arnon
Cementitious Materials—Nine Millennia and A New Century: Past, Present, and Future. — Arnon Bentur; 14(1), 2-22 (2002).

Bergson, Paul M.
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". —Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Brandow, Gregg
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Chajes, Michael J.
Corrosion Detection of Steel Cables using Time Domain Reflectometry. —Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Chang, George K.
Method to Predict Temperature Susceptibility of an Asphalt Binder. —Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Chen, Jian-Shiuh
Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. —Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Chuhan, Zhang
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. —Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Collop, A. C.
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Dasgupta, N.
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Dashibil, Philibus U.
Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).

DeVenny, A. S.
New Tests for Porosity and Water Absorption of Fired Clay Bricks. — F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Dexter, Robert J.
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Dimitrakis, S. D.
Application of Stress Diffusers to Beam-to-Column Connection. —S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Du, Lianxiang
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. —Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Ehsan, Mehbuba
Laboratory Study of Dust Palliative Effectiveness. —Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

El-Sakhawy, Nagwa R.
Shearing Behavior of Joints in Load-Bearing Masonry Wall. —Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Epps, Amy
Laboratory Study of Dust Palliative Effectiveness. —Amy Epps and Mehbuba Ehsan; 14(5), 427-35 (2002).

Fattuhi, Nijad
Carbonation of Concrete Exposed to Hot and Arid Climate. —Husain Al-Khaiat and Nijad Fattuhi; 14(2), 97-107 (2002).

Folliard, Kevin J.
Corrosion Detection of Steel Cables using Time Domain Reflectometry. —Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. —Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Fridley, K. J.
Errata for "Wood and wood-based materials: Current status and future of a structural material" by K. J. Fridley. —K. J. Fridley; 14(6), 531 (2002).

Fridley, Kenneth J.
Wood and Wood-Based Materials: Current Status and Future of a Structural Material. — Kenneth J. Fridley; 14(2), 91-6 (2002).

Frigione, Mariaenrica
Effects of Environmental Conditions on Performance of Polymeric Adhesives for Restoration of Concrete Structures. — Maria A. Aiello, Mariaenrica Frigione, and Domenico Acierno; 14(2), 185-9 (2002).

Fry, Gary T.
Special Issue on Behavior and Design of Steel Weldments. — Gary T. Fry; 14(1), 23 (2002).

Gouhar, Amira
Shearing Behavior of Joints in Load-Bearing Masonry Wall. — Nagwa R. El-Sakhawy, Hussein Abdel Raof, and Amira Gouhar; 14(2), 145-50 (2002).

Graeser, Mark D.
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". — Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Gruber, George J.
Supplemental Ultrasonic Code Inspection of Structural Weldments. —George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Guanglun, Wang
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. —Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Hamad, B.
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. —M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Harajli, M.
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. —M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Haug, Stephen
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. —Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Hong, Sze-Yunn
Concrete Aggregates Made from Sludge-Marine Clay Mixes. —Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Hunsperger, Robert G.
Corrosion Detection of Steel Cables using Time Domain Reflectometry. —Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Hyee, Abdul
Strengths of Cement Kiln Dust Concrete. —Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Islam, M. M.
Interpretation of Concrete Strength for Nonstandard Specimens. —M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).

Jandhyala, V. K.
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Janz, Mårten
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johannesson and Mårten Janz; 14(6), 471-7 (2002).

Johannesson, Björn
Test of Four Different Experimental Methods to Determine Sorption Isotherms. — Björn Johannesson and Mårten Janz; 14(6), 471-7 (2002).

Kamada, Toshiro
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Karam, K.
Bond-slip Response of Reinforcing Bars Embedded in Plain and Fiber Concrete. — M. Harajli, B. Hamad, and K. Karam; 14(6), 503-11 (2002).

Karr, Alan
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Katsuki, Futoshi
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. —Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Kaushik, Surendra K.
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Khalaf, F. M.
New Tests for Porosity and Water Absorption of Fired Clay Bricks. —F. M. Khalaf and A. S. DeVenny; 14(4), 334-7 (2002).

Khan, Ziauddin A.
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Kholmyansky, M. M.
Mechanical Resistance of Steel Fiber Reinforced Concrete to Axial Load. —M. M. Kholmyansky; 14(4), 311-9 (2002).

Kolay, Prabir K.
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Kunz, Eric
Corrosion Detection of Steel Cables using Time Domain Reflectometry. —Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Lawrence, F. V.
Application of Stress Diffusers to Beam-to-Column Connection. —S. D. Dimitrakis and F. V. Lawrence; 14(1), 84-9 (2002).

Li, Qingbin
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Li, Victor C.
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).
Fracture Toughness of Microfiber Reinforced Cement Composites. — Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Li, X. B.
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Li, Yongqi
Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Li, Zongjin
Neural Network Analysis of Chloride Diffusion in Concrete. —Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. —Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Liao, Min-Chih
Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. —Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Light, Glenn M.
Supplemental Ultrasonic Code Inspection of Structural Weldments. —George J. Gruber and Glenn M. Light; 14(1), 57-61 (2002).

Little, D. N.
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. —Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. —Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Little, Dallas
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. —Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Little, Dallas N.
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. —Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Liu, Chun-Pong
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. —Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Liu, D.
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Liu, Wei
Corrosion Detection of Steel Cables using Time Domain Reflectometry. — Wei Liu, Robert G. Hunsperger, Michael J. Chajes, Kevin J. Folliard, and Eric Kunz; 14(3), 217-23 (2002).

Lok, T. S.
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Lytton, R. L.
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. — Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Lytton, Robert L.
Method to Predict Temperature Susceptibility of an Asphalt Binder. —Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Ma, Baoguo
Neural Network Analysis of Chloride Diffusion in Concrete. —Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Mansur, M. A.
Interpretation of Concrete Strength for Nonstandard Specimens. —M. A. Mansur and M. M. Islam; 14(2), 151-5 (2002).
Correlations between Mechanical Properties of High-Strength Concrete. —M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Maranian, Peter
Cracked Column Flanges in Steel Moment Frame Buildings: Considerations for Their Repair including Report on Tests on Volumetric Weld Repairs. — Gregg Brandow and Peter Maranian; 14(1), 75-83 (2002).

Maranian, Peter J.
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. —Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Masad, E.
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. —E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Masad, Eyad
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. —Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Mashnad, Mehedy
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. —Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Mazumdar, Mayajit
Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. — Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Metcalf, John B.
Crack Initiation Model from Asphalt Slab Tests. — Yongqi Li and John B. Metcalf; 14(4), 303-10 (2002).

Misra, Sudhir
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Mohammad, Louay N.
History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Mohr, William
Weld Acceptance Criteria for Seismically Loaded Steel Structures. — William Mohr; 14(1), 50-6 (2002).

Mutsuyoshi, Hiroshi
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. —Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Naik, Tarun R.
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. —Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Nanni, Antonio
Editor's Note. —Antonio Nanni; 14(1), 1 (2002).
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. —Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Nehdi, Moncef
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. —Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Nelson, Patricia Kim
Fracture Toughness of Microfiber Reinforced Cement Composites. —Patricia Kim Nelson, Victor C. Li, and Toshiro Kamada; 14(5), 384-91 (2002).

Nowak, Andrzej S.
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. —Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Ojard, Sara D.
"Ductility and Strength Requirements for Base Metal in Welded T-Joints". —Robert J. Dexter, Paul M. Bergson, Sara D. Ojard, and Mark D. Graeser; 14(1), 35-43 (2002).

Padmarajaiah, S. K.
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. —S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Panda, Mahabir
Utilization of Reclaimed Polyethylene in Bituminous Paving Mixes. —Mahabir Panda and Mayajit Mazumdar; 14(6), 527-30 (2002).

Pankaj
Mechanical Behavior of Ferrocement Composites: Numerical Simulation. — Pankaj, Mohammed Arif, and Surendra K. Kaushik; 14(2), 156-63 (2002).

Paramasivam, P.
Correlations between Mechanical Properties of High-Strength Concrete. — M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Pellegrino, J. V., Jr.
Failure Analysis of Welded Steel Moment-Resisting Frame Connections. — John M. Barsom and J. V. Pellegrino, Jr.; 14(1), 24-34 (2002).

Peng, Jun
Neural Network Analysis of Chloride Diffusion in Concrete. — Jun Peng, Zongjin Li, and Baoguo Ma; 14(4), 327-33 (2002).

Petry, Thomas M.
Review of Stabilization of Clays and Expansive Soils in Pavements and Lightly Loaded Structures—History, Practice, and Future. —Thomas M. Petry and Dallas N. Little; 14(6), 447-60 (2002).

Puri, U. C.
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. —U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Qatan, Ahmed
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. —Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Rahman, Mohammad K.
Risks of Cracking and Delamination in Patch Repair. — Mohammed H. Baluch, Mohammad K. Rahman, and Ali H. Al-Gadhib; 14(4), 294-302 (2002).

Ramaswamy, Ananth
Comparative Study on Flexural Response of Full and Partial Depth Fiber-Reinforced High-Strength Concrete. —S. K. Padmarajaiah and Ananth Ramaswamy; 14(2), 130-6 (2002).

Ramme, Bruce W.
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. —Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Rapoport, Julie
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Rashid, M. A.
Correlations between Mechanical Properties of High-Strength Concrete. —M. A. Rashid, M. A. Mansur, and P. Paramasivam; 14(3), 230-8 (2002).

Rasmussen, Robert Otto
Method to Predict Temperature Susceptibility of an Asphalt Binder. —Robert Otto Rasmussen, Robert L. Lytton, and George K. Chang; 14(3), 246-52 (2002).

Roberts, Freddy L.
History of Hot Mix Asphalt Mixture Design in the United States. —Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Rose, J. G.
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Şener, Sıddık
Size Effect on Failure of Concrete Beams With and Without Steel Fibers. — Sıddık Şener, Meral Begimgil, and Çağatay Belgin; 14(5), 436-40 (2002).

Seyhan, Umit
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Shah, Surendra P.
Permeability of Cracked Steel Fiber-Reinforced Concrete. — Julie Rapoport, Corina-Maria Aldea, Surendra P. Shah, Bruce Ankenman, and Alan Karr; 14(4), 355-8 (2002).

Shaomin, Wang
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. —Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Shashidhar, N.
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. —E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Shaw, Robert E., Jr.
Ultrasonic Testing Procedures, Technician Skills, and Qualifications. —Robert E. Shaw, Jr.; 14(1), 62-7 (2002).

Shiah, Ming-Shen
Asphalt Modified by Styrene-Butadiene-Styrene Triblock Copolymer: Morphology and Model. —Jian-Shiuh Chen, Min-Chih Liao, and Ming-Shen Shiah; 14(3), 224-9 (2002).

Show, Kuan-Yeow
Concrete Aggregates Made from Sludge-Marine Clay Mixes. —Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Si, Zhiming
Effects of Inorganic and Polymer Filler on Tertiary Damage Development in Asphalt Mixtures. —Zhiming Si, D. N. Little, and R. L. Lytton; 14(2), 164-72 (2002).
Characterization of Microdamage and Healing of Asphalt Concrete Mixtures. —Zhiming Si, D. N. Little, and R. L. Lytton; 14(6), 461-70 (2002).

Simon, Warner
Static Small Component Tests on 2-Inch-Thick Specimens using Weld Overlays. —Peter J. Maranian and Warner Simon; 14(1), 68-74 (2002).

Singh, Devendra N.
Application of Coal Ash in Fluidized Thermal Beds. — Prabir K. Kolay and Devendra N. Singh; 14(5), 441-4 (2002).

Singh, Shiw S.
Effect of Source of Fly Ash on Abrasion Resistance of Concrete. —Tarun R. Naik, Shiw S. Singh, and Bruce W. Ramme; 14(5), 417-26 (2002).

Singleton, T. M.
Properties of Polymer Modified Bitumen after Rubber-Bitumen Interaction. — G. D. Airey, T. M. Singleton, and A. C. Collop; 14(4), 344-54 (2002).

Skoraczewski, Gregg
Lightweight Concrete Masonry with Recycled Wood Aggregate. — Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Sobhan, Khaled
Tensile Strength and Toughness of Soil–Cement–Fly-Ash Composite Reinforced with Recycled High-Density Polyethylene Strips. — Khaled Sobhan and Mehedy Mashnad; 14(2), 177-84 (2002).

Somadevan, N.
Characterization of Air Void Distribution in Asphalt Mixes using X-ray Computed Tomography. — E. Masad, V. K. Jandhyala, N. Dasgupta, N. Somadevan, and N. Shashidhar; 14(2), 122-9 (2002).

Somedavan, Niranjanan
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. — Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Stahl, Douglas C.
Lightweight Concrete Masonry with Recycled Wood Aggregate. —Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Stempski, Bryant
Lightweight Concrete Masonry with Recycled Wood Aggregate. —Douglas C. Stahl, Gregg Skoraczewski, Phil Arena, and Bryant Stempski; 14(2), 116-21 (2002).

Sun, Chung Leung
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. —Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Taha, Ramzi
Cement Stabilization of Reclaimed Asphalt Pavement Aggregate for Road Bases and Subbases. —Ramzi Taha, Ali Al-Harthy, Khalid Al-Shamsi, and Muamer Al-Zubeidi; 14(3), 239-45 (2002).
Use of Cement Bypass Dust as Filler in Asphalt Concrete Mixtures. —Ramzi Taha, Amer Al-Rawas, Ali Al-Harthy, and Ahmed Qatan; 14(4), 338-43 (2002).

Tashman, Laith
Micromechanics-Based Analysis of Stiffness Anisotropy in Asphalt Mixtures. —Eyad Masad, Laith Tashman, Niranjanan Somedavan, and Dallas Little; 14(5), 374-83 (2002).

Tay, Joo-Hwa
Concrete Aggregates Made from Sludge-Marine Clay Mixes. —Joo-Hwa Tay, Kuan-Yeow Show, and Sze-Yunn Hong; 14(5), 392-8 (2002).

Trejo, David
Effects of Constituent Materials and Quantities on Water Demand and Compressive Strength of Controlled Low-Strength Material. —Lianxiang Du, Kevin J. Folliard, and David Trejo; 14(6), 485-95 (2002).

Tutumluer, Erol
Anisotropic Modular Ratios as Unbound Aggregate Performance Indicators. — Umit Seyhan and Erol Tutumluer; 14(5), 409-16 (2002).

Udoeyo, Felix F.
Sawdust Ash as Concrete Material. — Felix F. Udoeyo and Philibus U. Dashibil; 14(2), 173-6 (2002).
Strengths of Cement Kiln Dust Concrete. — Felix F. Udoeyo and Abdul Hyee; 14(6), 524-6 (2002).

Uomoto, T.
Characterization of Distinct Element Modeling Parameters for Fresh Concrete and its Application in Shotcrete Simulations. — U. C. Puri and T. Uomoto; 14(2), 137-44 (2002).

Uomoto, Taketo
Use of Fiber Reinforced Polymer Composites as Reinforcing Material for Concrete. — Taketo Uomoto, Hiroshi Mutsuyoshi, Futoshi Katsuki, and Sudhir Misra; 14(3), 191-209 (2002).

Wahhab, Hamad I. Al-Abdul
Clegg Hammer—California-Bearing Ratio Correlations. — Omar Saeed Baghabra Al-Amoudi, Ibrahim Mohammed Asi, Hamad I. Al-Abdul Wahhab, and Ziauddin A. Khan; 14(6), 512-23 (2002).

Wang, L. B.
History of Hot Mix Asphalt Mixture Design in the United States. — Freddy L. Roberts, Louay N. Mohammad, and L. B. Wang; 14(4), 279-93 (2002).

Wang, Shuxin
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Welker, Kevin
Investigation of Premature Failure of Dense Friction Course Asphalt Highways in Ontario. — Moncef Nehdi and Kevin Welker; 14(3), 210-6 (2002).

Yang, Lichen
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Yang, Xinbao
Strength and Modulus Degradation of Carbon Fiber-Reinforced Polymer Laminates from Fiber Misalignment. — Xinbao Yang, Antonio Nanni, Stephen Haug, and Chung Leung Sun; 14(4), 320-6 (2002).

Yu, Tongxi
Laminate of Reformed Bamboo and Extruded Fiber-Reinforced Cementitious Plate. — Zongjin Li, Chun-Pong Liu, and Tongxi Yu; 14(5), 359-65 (2002).

Yuexing, Dong
Experimental Tests of Rolled Compacted Concrete and Nonlinear Fracture Analysis of Rolled Compacted Concrete Dams. — Zhang Chuhan, Wang Guanglun, Wang Shaomin, and Dong Yuexing; 14(2), 108-15 (2002).

Zeng, X.
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).

Zhang, Burong
Pullout Bond Properties of Fiber-Reinforced Polymer Tendons to Grout. — Burong Zhang and Brahim Benmokrane; 14(5), 399-408 (2002).

Zhang, Fude
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Zhang, Jun
Introducing Ductile Strip for Durability Enhancement of Concrete Slabs. — Jun Zhang, Victor C. Li, Andrzej S. Nowak, and Shuxin Wang; 14(3), 253-61 (2002).

Zhang, Wencui
Fracture and Tension Properties of Roller Compacted Concrete Cores in Uniaxial Tension. — Qingbin Li, Fude Zhang, Wencui Zhang, and Lichen Yang; 14(5), 366-73 (2002).

Zhao, P. J.
Testing and Response of Large Diameter Brittle Materials Subjected to High Strain Rate. — T. S. Lok, X. B. Li, D. Liu, and P. J. Zhao; 14(3), 262-9 (2002).

Zhong, X. G.
Shear Modulus and Damping Ratio of Rubber-modified Asphalt Mixes and Unsaturated Subgrade Soils. — X. G. Zhong, X. Zeng, and J. G. Rose; 14(6), 496-502 (2002).